### THE KAIKOURA REGION: A BIBLIOGRAPHY

### J. VAN BERKEL and W. DAVISON

Edward Percival Field Station, The Esplanade, Kaikoura, New Zealand

#### INTRODUCTION

Kaikoura has been the centre for a great variety of research for many years, some of it directly related to Kaikoura and its flora and fauna, while other research has used the region as part of nationwide surveys. This bibliography has concentrated on the former type of research, highlighting work actually carried out at Kaikoura. This paper, undoubtedly will not cover every publication, but we have endeavoured to include every possible reference which we could find, in the hope that it will form a useful stepping stone for anyone wishing to carry out research in the Kaikoura region. Rather than simply list publications in alphabetical order we have grouped titles under several broad headings.

#### ZOOLOGY

#### TERRESTRIAL

PHYSICAL ECOLOGY

D.M. HUNT and GILL, B.J. 1979. Physical aspects. pp 7-10. In: Gill, B.J. and Hunt, D.M. (Eds.) Ecology of Kowhai Bush, Kaikoura. Mauri Ora special publication 2.

#### PHYSIOLOGY

- DE RUITER, S. 1984. The hind leg motor control system in wetas: anatomy, proprioceptive feedback, motor output. Unpublished B.Sc. Honours project, University of Canterbury.
- CADENHEAD, L.C. 1982. The role of the metathoracic femoral chordotonal organ during walking in the weta. Unpublished B.Sc. Honours project, University of Canterbury.

#### PARASITOLOGY

- GILL, B.J. 1980. Ectoparasites collected or noted while handling birds at Kowhai Bush. *In*: Abundance, feeding and morphology of passerine birds at Kowhai Bush, Kaikoura, New Zealand. Gill, B.J. 1980, *New Zealand Journal of Zoology* 7: 235-247.
- GILL, B.J. 1983. Brood-parasitism by the shining cuckoo (Chrysococcyx lucidus) at Kaikoura, New Zealand. Ibis 125: 40-55.

# INVERTEBRATE ECOLOGY (SYNECOLOGY)

- GILL, B.J. 1979. Invertebrates, amphibians and reptiles. pp 18-19. *In*:
  Gill, B.J. and Hunt, D.M. (Eds.) *Ecology of Kowhai Bush*, *Kaikoura*.
  Mauri Ora special publication 2.
- STOUT, V.M. 1985. The ecology of three small lakes near Kaikoura, New Zealand. Mauri Ora 12: 133-146.

# INVERTEBRATE ECOLOGY (AUTECOLOGY)

- BLEST, A.D. and POMEROY, G. 1978. The sexual behaviour and genital mechanics of three species of Mynoglenes (Araneae: Linyphiidae). *Journal of Zoology London 185*: 319-40.
- FIELD, L.H. 1980. Observations on the biology of *Deinacrida connectens* (Orthoptera: Stenopelmatidae), an alpine weta. *New Zealand Journal of Zoology* 7: 211-220.
- FIELD, L.H. and SANDLANT, G.R. 1983. Aggression and mating behaviour in the Stenopelmatidae (Orthoptera, Ensifera), with reference to New Zealand wetas. pp 120-146. *In*: Gwynne, D.T. and Morris, G.K. (Eds.)

  Orthopteran Matina Sustems. Westview Press. Boulder. Colorado.
- Orthopteran Mating Systems. Westview Press, Boulder, Colorado.
  HORNING, D.S. 1979. Tardigrades. p 17. In: Gill, B.J. and Hunt, D.M. (Eds.)
  Ecology of Kowhai Bush, Kaikoura. Mauri Ora special publication 2.
- HORNING, D.S. 1979. Tardigrada of the Kowhai Bush, Kaikoura, New Zealand Zeszyty Naukowe Uniwersytetu Jagiellonskiego, (Krakow, Poland).
- SANDLANT, 6G.R. 1981. Aggressive behaviour of the Canterbury weta Hemideina femorata (Orthoptera: Stenopelmatidae): its adaptive significance in resource allocation. Unpublished M.Sc. Thesis University of Canterbury.

# VERTEBRATE TAXONOMY

- GILL, B.J., POWLESLAND, R.G. and POWLESLAND, M.H. 1979. Checklist of birds. pp 47-48. *In*: Gill, B.J. and Hunt, D.M. (Eds.) *Ecology of Kowhai Bush*, *Kaikoura*. Mauri Ora special publication 2.
- MOORS, P.J. 1979. Checklist of mammals. pp 49. In: Gill, B.J. and Hunt, D.M. (Eds.) Ecology of Kowhai Bush, Kaikoura. Mauri Ora special publication 2.
- WHITAKER, A.H. 1984. Hoplodactylus kahutarae n. sp. (Reptilia: Gekkonidae) from the Seaward Kaikoura Range, Marlborough, New Zealand. New Zealand Journal of Zoology 11: 259-270.

# VERTEBRATE ECOLOGY (SYNECOLOGY)

- BELL, B.C. 1979. Birds of Land and Sea. In: Jowett, W. A guide to Oaro Lincoln College Field Station.
- FLACK, J.A.D. and LLOYD B.D. 1978. The effect of rodents on the breeding success of the South Island robin. pp 59-66. In: Dingwall et al. (Eds.) The ecology and control in New Zealand nature reserves.

  Department of Lands and Survey, Information Series Vol. 4.
- GILL, B.J. 1979. Invertebrates, amphibians and reptiles. pp 18-19. *In*:
  Gill, B.J. and Hunt, D.M. (Eds.) *Ecology of Kowhai Bush, Kaikoura*.
  Mauri Ora special publication 2.
- GILL, B.J. 1979. Ecology of birds. pp 20-21. *In*: Gill, B.J. and Hunt, D.M. (Eds.) *Ecology of Kowhai Bush*, *Kaikoura*. Mauri Ora special publication 2.
- GILL, B.J. 1979. Breeding of the Grey Warbler and Shining Cuckoo at Kowhai Bush, Kaikoura. *Unpublished Ph.D. Thesis University of Canterbury*.
- GILL, B.J. 1979. Breeding of the Grey Warbler and Shining Cuckoo. pp 31-32.
  In: Gill, B.J. and Hunt, D.M. (Eds.) Ecology of Kowhai Bush, Kaikoura.
  Mauri Ora special publication 2.
- GILL, B.J. 1980. Abundance, feeding and morphology of passerine birds at Kowhai Bush, Kaikoura, New Zealand. New Zealand Journal of Zoology 7: 235-247.
- MOORS, P.J. 1975. Introduced predators and the South Island Robin. Wildlife A Review 6: 26-31.
- MOORS, P.J. 1976. Predators and the South Island Robin. Wildlife A Review 7: 19-24.
- MOORS, P.J. 1979. Mammal populations. pp 35-37. In: Gill, B.J. and Hunt, D.M. (Eds.) Ecology of Kowhai Bush, Kaikoura. Mauri Ora special publication 2.
- MOORS, P.J. 1983. Predation by mustelids and rodents on the eggs and chicks of native and introduced birds in Kowhai Bush, New Zealand. *Ibis* 125: 137-154.
- MOORS, P.J. and FLACK, J.A.D. 1979. Predation by mammals on eggs and nestlings of birds. pp 38-40. *In*: Gill, B.J. and Hunt, D.M. (Eds.) *Ecology of Kowhai Bush. Kaikowra*. Mauri Ora special publication 2.
- Kowhai Bush, Kaikoura. Mauri Ora special publication 2.
  SHERLEY, G.H. and CUNNINGHAM, J.B. 1985. Recent research in Kowhai Bush and proposals for the future. Mauri Ora 12: 55-67.

# VERTEBRATE ECOLOGY (AUTECOLOGY)

- CLARK, J. 1972. Ecology of feral goats (Capra hircus L.) near Kaikoura, New Zealand. Unpublished M.Sc. Thesis University of Canterbury.
- CUNNINGHAM, J.B. 1984. Differentiating the sexes of the Brown Creeper.

  Notomis 31: 19-23.
- CUNNINGHAM, J.B. 1985. Breeding ecology, social organisation and communicatory behaviour of the Brown Creeper (Finschia novaeseelandiae). Unpublished Ph.D. Thesis University of Canterbury.
- EVANS, G.R. 1973. Hutton's shearwaters initiating local soil erosion in the Seaward Kaikoura range. New Zealand Journal of Science 16: 637-42.
- FALLA, R.A. 1965. Distribution of Hutton's Shearwater in New Zealand. *Notornis* 12: 66-70.
- FLACK, J.A.D. 1973. Robin research a progress report. Wildlife A Review 4: 28-36.
- FLACK, J.A.D. 1975. Aspects of the ecology of the New Zealand robin Petroica australis (Sparrman, 1788). Emu 74 (Supplement): 286.
- FLACK, J.A.D. 1976. Use of the frontal spot and crown feathers in inter- and intraspecific display in the South Island Robin. *Notornis* 23: 93-105.
- FLACK, J.A.D. 1976. New Zealand Robins. Wildlife A Review 7: 15-19.
- FLACK, J.A.D. 1979. Biology and Ecology of the South Island Robin. pp 22-26.

  In: Gill, B.J. and Hunt, D.M. (Eds.) Ecology of Kowhai Bush, Kaikoura.

  Mauri Ora special publication 2.
- FOX, N.C. 1977. The biology of the New Zealand Falcon (Falco novaeseelandiae Gmelin 1788). Unpublished Ph.D. Thesis University of Canterbury.
- FOX, N.C. 1978. Territorial spacing of the New Zealand falcon. *Notornis* 25: 203-212.
- FOX, N.C. 1978. The distribution and numbers of the New Zealand falcon. *Notornis* 25: 317-331.
- GILL, B.J. 1978. Breeding of the Grey Warbler. Notornis 25: 244-245.
- GILL, B.J. 1978. Breeding of the Grey Warbler at Kowhai Bush, Kaikoura.

  New Zealand Journal of Ecology 1: 180-181.
- GILL, B.J. 1979. Breeding of the Shining Cuckoo at Kowhai Bush, Kaikoura.

  New Zealand Journal of Ecology 2: 89-90.
- GILL, B.J. 1979. Breeding of the Grey Warbler and Shining Cuckoo. pp 31-32.
  In: Gill, B.J. and Hunt, D.M. (Eds.) Ecology of Kowhai Bush, Kaikoura.
  Mauri Ora special publication 2.
- GILL, B.J. 1980. Foods of the Shining Cuckoo (Chrysococcyx lucidus, Aves: Cuculidae) in New Zealand. New Zealand Journal of Ecology 3: 138-140.
- GILL, B.J. 1982. Breeding of the grey warbler *Gerygone igata* at Kaikoura, New Zealand. *Ibis* 124: 123-147.
- GILL, B.J. 1983. Breeding habits of the Grey Warbler. Notornis 30: 137-165.
- GILL, B.J., POWLESLAND, R.G. and POWLESLAND, M.H. 1980. Notes on the brown creeper (Finschia novaeseelandiae). Notomis 27: 129-132.
- GILL, B.J., POWLESLAND, R.G. and POWLESLAND, M.H. 1983. Laying seasons of three insectivorous songbirds at Kowhai Bush, Kaikoura. *Notornis* 30: 81-86.
- HARROW, G. 1965. Preliminary report on the discovery of nesting sites of Hutton's Shearwaters. *Notormis* 12: 59-65.
- HARROW, G. 1976. Some observations of Hutton's Shearwaters. *Notomis* 23: 269-288.

- HAY, R. 1975. The vocal behaviour of the New Zealand robin Petroica Australis and its local congenerics. Unpublished M.Sc. Thesis Auckland University.
- HAY, R. 1979. Vocalization of the South Island Robin. pp 27. In: Gill, B.J. and Hunt, D.M. (Eds.) Ecology of Kowhai Bush, Kaikoura. Mauri Ora special publication 2.
- MOORS, P.J. 1983. Predation by stoats (Mustela erminea) and weasels (Mustela nivalis) on nests of New Zealand forest birds. Acta Zoologica Fennica 174: 193-196.
- POWLESLAND, M.H. 1979. Breeding of the South Island Fantail. pp 33-34. *In*: Gill, B.J. and Hunt, D.M. (Eds.) *Ecology of Kowhai Bush*, *Kaikoura*. Mauri Ora special publication 2.
- POWLESLAND, M.H. 1979. A breeding study of the South Island Fantail (Rhipidura fuliginosa fuliginosa). Notornis 29: 181-195.
- POWLESLAND, R.G. 1979. Time-budget of the South Island Robin. pp 28-30. In: Gill, B.J. and Hunt, D.M. (Eds.) Ecology of Kowhai Bush, Kaikoura.

  Mauri Ora special publication 2.
- POWLESLAND, R.G. 1979. Pellet casting by South Island Robins. Notornis 26: 273-278.
- POWLESLAND R.G. 1980. Food-storing behaviour of the South Island Robin. Mauri Ora 8: 11-20.
- POWLESLAND, R.G. 1981. Comparison of time-budgets for mainland and Outer Chetwode Island populations of the adult male South Island Robin.

  New Zealand Journal of Ecology 4: 95-105.
- POWLESLAND, R.G. 1981. The foraging behaviour of the South Island Robin. *Notormis* 28: 89-102.
- POWLESLAND, R.G. 1982. A time-budget study of the South Island Robin (Petroica australis australis) at Kowhai Bush, Kaikoura. Unpublished Ph.D. Thesis University of Canterbury.
- POWLESLAND, R.G. 1983. Breeding and mortality of the South Island Robin in Kowhai Bush, Kaikoura. *Notormis* 30: 265-282.
- POWLESLAND, R.G. 1983. Body-maintenance activities of the South Island Robin. Emu 82: 296-304.
- POWLESLAND, R.G. 1983. Seasonal and diurnal variation in vocal behaviour of the South Island Robin. New Zealand Journal of Zoology 10: 225-2.
- SHERLEY, G.H. 1985. The breeding system of the South Island Rifleman (Acanthisitta chloris) at Kowhai Bush, Kaikoura, New Zealand. Unpublished Ph.D. Thesis University of Canterbury.

### MARINE

### PHYSICAL ECOLOGY

- KNOX, G.A. 1960. Littoral ecology and biogeography of the Southern Oceans. Proceedings of the Royal Society B 152: 577-624.
- KNOX, G.A. 1963. The biogeography and intertidal ecology of the Australian coasts. Oceanography and Marine Biology. Annual Review 1: 341-404.
- KNOX, G.A. 1969. The Surrounding Seas pp 509-518. In: Knox, G.A. (Ed.) The natural history of Canterbury. Wellington, A.M. and A.W. Reed.

- MARSDEN, I.D. 1978. Preliminary survey of the intertidal areas from Cape Campbell to Haumuri Bluffs. Estuarine Research Unit Report 19, University of Canterbury.
- McGREGOR, D.D. 1965. Physical ecology of some New Zealand supralittoral pools. Hydrobiologia 25: 277-284.
- RASMUSSEN, R.A. 1965. The intertidal ecology of the rocky shores of the Kaikoura Peninsula. *Unpublished Ph.D. Thesis University of Canterbury*.

#### VERTEBRATE PHYSIOLOGY

- DAVISON, W. 1984. Temperature acclimation in the rockfish Acanthoclinus quadridactylus. New Zealand Journal of Zoology 11: 329-335.
- DAVISON, W. 1985. Swimming against the tide: adaptations of three species of fish for life in the intertidal zone. Mauri Ora 12: 95-104.

### VERTEBRATE PARASITOLOGY

- BISS, R.H. 1972. Aspects of the biology of Ornithodoros capensis a tick of sea birds. Unpublished B.Sc. Honours project University of Canterbury.
- CIPRIANO, F., BLAIR, D. and McKENZIE, J. 1985. Methods for dissection, and metazoan parasite examination of small cetaceans. *Mauri Ora* 12: 159-169.
- CLARK, W.C. 1978. Tetrameres tarapungae n.sp. (Nematoda: Spirurida) a parasite of the red-billed gull Larus novaehollandiae scopulinus. New Zealand Journal of Zoology 5: 7-13.
- KHOO, S.H. 1979. A trematode from the rockfish Acanthoclinus quadridactylus. Unpublished B.Sc. Honours project University of Canterbury.
- PILGRIM, R.L.C. 1985. Parasitic copepoda from marine coastal fishes in the Kaikoura-Banks Peninsula region, South Island. *Mauri Ora* 12: 13-53.

### VERTEBRATE TAXONOMY

- BAKER, A.J. 1974. Melanin pigmentation in the dorsal plumage of New Zealand Oystercatchers. New Zealand Journal of Zoology 1: 159-164.
- CASTLE, P.H.J. 1960. Two eels of the genus Pseudoxenomystax from New Zealand waters. Transactions of the Royal Society of New Zealand 88: 463-472.
- CROSBY, T.K. 1968. A statistical analysis of skeletons of Larus bulleri (Hutton 1871) and L. novaehollandiae scopulinus (Forster 1844) (Charadriiformes. Laridae). Unpublished B.Sc. Honours project University of Canterbury.
- DAVISON, W. and VAN BERKEL, J.G.J.M. 1985. Further additions to the records of marine fishes from Kaikoura. *Mauri Ora* 12: 147-150.
- FRANCIS, M.P. 1979. Checklist of the marine fishes of Kaikoura, New Zealand. Mauri Ora 7: 63-71.

- FRANCIS, M.P. 1981. Meristic and morphometric variation in the lancet fish, Alepisaurus, with notes on the distribution of A. ferox and A. brevirostris. New Zealand Journal of Zoology 8: 403-408.
- GARRICK, J.A.F. 1957. Studies on New Zealand Elasmobranchii Part VI. Two new species of Etmopterus from New Zealand. Bulletin of the Museum of Comparative Zoology, Harvard College 116: 171-190.
- GARRICK, J.A.F. 1959. Studies on New Zealand Elasmobranchii Part VIII

  Centroscymnus in New Zealand waters. Transactions of the Royal Society

  of New Zealand 87: 75-89.
- GARRICK, J.A.F. 1959. Studies on New Zealand Elasmobranchii Part VII.

  Identity of Centroscymnus in New Zealand waters. Transactions of the
  Royal Society of New Zealand 86: 127-141.
- GARRICK, J.A.F. 1959. Studies on New Zealand Elasmobranchii Part IX.

  Scymmodon plunketi (Waite, 1910) in New Zealand waters. Transactions of the Royal Society of New Zealand 87: 271-282
- GARRICK, J.A.F. 1960. Studies on New Zealand Elasmobranchii Part XI. Genera

  Deania, Etmopterus, Oxynotus and Dalatias in New Zealand waters.

  Transactions of the Royal Society of New Zealand 88: 489-517.
- Transactions of the Royal Society of New Zealand 88: 489-517.

  ROBERTS, C.D. and VAN BERKEL, J.G.J.M. 1982. Additional records of marine fishes from Kaikoura. Mauri Ora 10: 133-137.

### VERTEBRATE ECOLOGY (SYNECOLOGY)

- BELL, B.C. 1979. Birds of land and sea. In: Jowett, W. A guide to Oaro Lincoln College Field Station.
- BENNINGTON, S.L., CONNORS, P.G. and RISEBROUGH, R.W. 1975. Patterns of chlorinated hydrocarbon contamination in New Zealand subantarctic and coastal marine birds. *Environmental Pollution 8*: 135-147.
- DARBY, M.M. 1966. The ecology of fishes in tidal rock-pools with a revision of the common littoral species. *Unpublished Ph.D. Thesis University of Canterbury*.
- KNOX, G.A. 1969. The Plants and Animals of the Rocky Shores pp 536-552. In: Knox, G.A. (Ed.) The natural history of Canterbury. Wellington, A.M. and A.W. Reed.

### VERTEBRATE ECOLOGY (AUTECOLOGY)

### REPTILES AND BIRDS

- BAKER, A.J. 1974. Prey specific feeding methods of New Zealand oystercatchers. *Notormis* 21: 219-233.
- BAKER, A.J. 1974. Ecological and behavioural evidence for the status of the New Zealand oystercatchers (Charadriiformes: Haematopodidae). Life Science Contributions of the Royal Ontario Museum 96: 1-34.
- BAKER, A.J. 1975. Morphological variation, hybridization and systematics of New Zealand oystercatchers. *Journal of Zoology*, *London 175*: 357-390.
- CIPRIANO, F. 1985. Dusky dolphin research at Kaikoura, New Zealand: a progress report. *Mauri Ora 10*: 151-158.

- EVANS, G.R. 1973. Hutton's Shearwaters initiating local soil erosion in the Seaward Kaikoura range. New Zealand Journal of Science 16: 637-42.
- FALLA, R.A. 1965. Distribution of Hutton's shearwater in New Zealand.

  Notormis 12: 66-70.
- FORDYCE, R.E. and CLARK, W.C. 1977. A leatherback turtle (*Dermochelys*) from Kaikoura, New Zealand. *Mauri Ora* 5: 89-91.
- HARROW, G. 1965. Preliminary report on the discovery of nesting sites of Hutton's Shearwaters. *Notomis* 12: 59-65.
- HARROW, G. 1976. Some observations of Hutton's Shearwaters. *Notornis* 23: 269-288.
- HENDRY, M.G. 1974. Growth, mortality and parental care in red-billed gull chicks. Unpublished B.Sc. Honours project University of Canterbury.
- MILLS, J.A. 1969. The distribution of breeding red-billed gull colonies in New Zealand in relation to areas of plankton enrichment. *Notornis* 16: 180-186.
- MILLS, J.A. 1971. Sexing red-billed gulls from standard measurements. New Zealand Journal of Marine and Freshwater Research 5: 326-328.
- MILLS, J.A. 1972. A difference in band loss from male and female red-billed gull Larus novaehollandiae scopulinus. Ibis 114: 252-255.
- MILLS, J.A. 1973. The influence of age and pair-bond on the breeding biology of the red-billed gull Larus novaehollandiae scopulinus. Journal of Animal Ecology 42: 147-162.
- MILLS, J.A. 1979. Factors affecting the egg size of the red-billed gull Larus novaehollandiae scopulinus. Ibis 121: 53-67.
- MILLS, J.A. and SHAW, P.W. 1980. The influence of age on laying date, clutch size and egg size of the white-fronted tern, Sterne striata. New Zealand Journal of Zoology 7: 147-153.
- POWLESLAND, R.G. 1983. Seabirds found dead on New Zealand beaches in 1981. Notomis 30: 125-135.
- STONEHOUSE, B. 1965. Marine birds and mammals at Kaikoura. Proceedings of the New Zealand Ecological Society 12: 13-20.
- STONEHOUSE, B. 1967. Feeding behaviour and diving rhythms of some New Zealand shags, Phalacrocoracidae. *Ibis* 109: 600-605.
- SPURR, E.B. 1967. Observations on the winter feeding of the white-faced heron (Notophoyx novaehollandiae) at Kaikoura. Unpublished B.Sc. Honours project University of Canterbury.
- SPURR, E.B. 1967. Observations on the winter activities of the white-faced heron (Notophoyx novaehollandiae) at Kaikoura. Unpublished B.Sc. Honours project University of Canterbury.
- TASKER, C.R. 1970. Reproductive behaviour of the red-billed gull (Larus novaehollandiae scopulinus Forster). Unpublished M.Sc. Thesis University of Canterbury.
- TASKER, C.R. and MILLS, J.A. 1981. A functional analysis of courtship feeding in the red-billed gull (Larus novaehollandiae scopulinus). Behaviour 77: 222-241.

### VERTEBRATE ECOLOGY (AUTECOLOGY)

#### FISH AND MAMMALS

- BOWRING, L.D. and STONEHOUSE, B. 1968. Birth of elephant seal (Mirounga leonina) in New Zealand. New Zealand Journal of Marine and Freshwater Research 2: 574-575.
- CRAWLEY, M.C. and WILSON, G.J. 1976. The natural history and behaviour of the New Zealand fur seal (Arctocephalus forsteri). Tuatara 22: 1-29.
- COACKLEY, A. 1964. Life history and general biology of Trachelochimus pinnulatus (Forster) (Order Xenopterygii). Unpublished M.Sc. Thesis University of Canterbury.
- FRANCIS, M.P. 1979. A biological basis for the management of New Zealand moki (Latridopsis ciliaris) and smooth-hound (Mustelus lenticulatus) fisheries. Unpublished M.Sc. Thesis, Centre for Resource Management.
- FRANCIS, M.P. and MACE, J.T. 1980. Reproductive biology of *Mustelus* lenticulatus from Kaikoura and Nelson. New Zealand Journal of Marine and Freshwater Research 14: 303-311.
- FRANCIS, M.P. 1981. Spawning and migration of moki (Latridopsis ciliaris) off eastern New Zealand. New Zealand Journal of Marine and Freshwater Research 15: 267-273.
- FRANCIS, M.P. 1981. Age and growth of moki Latridopsis ciliaris (Teleostei: Latridae). New Zealand Journal of Marine and Freshwater Research 15: 47-50.
- FRANCIS, M.P. 1981. Meristic and morphometric variation in the lancet fish, Alepisaurus, with notes on the distribution of A. ferox and A. brevirostris. New Zealand Journal of Zoology 8: 403-408.
- MORGANS, J.F.C. 1966. Possibilities raised by the study of the size distribution in a sample of a shoal of sprats, Sprattus antipodum (Hector). Transactions of the Royal Society of New Zealand 81: 141-147.
- STIRLING, I. 1968. Diurnal movements of the New Zealand fur seal at Kaikoura. New Zealand Journal of Marine and Freshwater Research 2: 375-377.
- STIRLING, I. 1970. Observations on the behaviour of the New Zealand fur seal (Arctocephalus forsteri). Journal of Mammology 51: 766-778.
- STONEHOUSE, B. 1965. Marine birds and mammals at Kaikoura. Proceedings of the New Zealand Ecological Society 12: 13-20.
- WILSON, G.J. 1981. Distribution and abundance of the New Zealand fur seal Arctocephalus forsteri. Fisheries Research Division Occasional Publication 20. 40 pp.

### INVERTEBRATE PARASITOLOGY

- ALLISON, F.R. 1966. A new species of adult Allocreadiidae (Trematoda) from Octopus maorum Hutton. Records of the Canterbury Museum 8: 81-85.
- EARLY, J.W. 1974. A study of the Hymenopteran parasitoids of kelp flies (Diptera: Coelopidae) from Kaikoura New Zealand. Unpublished B.Sc. Honours project University of Canterbury.
- SHORT, R.B. and POWELL, E.C. 1968. Mature digenetic trematodes from New Zealand octopuses. *Journal of Parasitology* 54: 757-760.

- SHORT, R.B. and HOCHBERG, F.G. 1969. Two new species of Dicyemennea (Mesozoa: Dicyemidae) from Kaikoura New Zealand. *Journal of Parasitology* 55: 583-596.
- SHORT, R.B. 1971. Three new species of Dicyema (Mesozoa: Dicyemidae) from New Zealand. pp 231-249. *In*: Llano, A and Wallen, I.E. (Eds.) *Antarctic Research Series Vol. 17. Biology of the Antarctic Seas IV*. Washington, American Geophysical Union.

#### INVERTEBRATE PHYSIOLOGY

- BROWN, D.L. 1969. The reactions to light of *Ischnochiton maorianus* (Iredale 1914). *Unpublished M.Sc. Thesis University of Canterbury*.
- CARRYER, T.J. 1970. Mechanisms for maintaining inter-tidal station in Zeacumanthus subcarinatus (Mollusca: Gastropoda). Unpublished M.Sc. Thesis University of Canterbury.
- GREENHILL, N.S. 1976. The cardiac physiology of Scutus breviculus a Fissurelid gastropod. Unpublished B.Sc. Honours project University of Canterbury.
- HORN, P.L. 1985. Respiration in air and water of the chiton *Chiton* pelliserpentis from high and low zones of a sheltered shore. New Zealand Journal of Marine and Freshwater Research 19: 11-19.
- McQUEEN, D.J., PANNELL, J.K. and McLAY, C.L. 1983. Respiration rates for the intertidal spider *Desis marina* (Hector). *New Zealand Journal of Zoology* 10: 393-400.

#### INVERTEBRATE TAXONOMY

- ALLISON, F.R. 1966. A new species of adult Allocreadiidae (Trematoda) from Octopus maorum Hutton. Records of the Canterbury Museum 8: 81-85.
- BRADFORD, J.M. 1969. New species of Aetideopsis Sars and Bradyidius Giesbrecht (Copepoda: Calanoida) from the Southern Hemisphere. New Zealand Journal of Marine and Freshwater Research 3: 73-97.
- CLIMO, F.M. 1980. Smeagolida, a new order of gymnomorph mollusc from New Zealand based on a new genus and species. New Zealand Journal of Zoology 7: 513-522.
- EARLY, J.W. 1976. Biosystematics of some cool temperate and sub-antarctic New Zealand Diapriinae (Hymenoptera: Diapriidae). *Unpublished M.Sc. Thesis University of Canterbury*.
- FENWICK, G.D. 1983. Two new sand-dwelling amphipods from Kaikoura New Zealand (Oedicerotidae and Lysianassidae). New Zealand Journal of Zoology 10: 133-146.
- HEMINGSEN, A.M. and JOHNS, P.M. 1975. The dark coloration of marine cranefly eggs (Diptera: Tipulidae: Limoniinae). Vedenskabelige meddelelser fra Dansk Naturhistorisk Forening 138: 127-136.
- HICKS, G.R.F. and WEBBER, R. 1983. New Porcellidium from New Zealand. Journal of Crustacean Biology 3: 438-453.
- HURLEY, D.E. and JANSEN, K.P. 1970. Preliminary diagnosis of four new littoral species of marine crustacea. Isopoda (Family Sphaeromatidae).

  New Zealand Journal of Marine and Freshwater Research 4: 472-473.

- JONES, M.B. and FENWICK, G.D. 1978. *Maoridotea naylori* a new genus and species of the isopod (Valvifera: Idoteidae: Cheatilinae) from the Kaikoura Peninsula New Zealand. *Journal of Natural History* 12: 617-625.
- KNOX, G.A. and GREEN, K.M. 1972. The Polycheateus Annelids of New Zealand part 2 Lumbrineridae. *Journal of the Royal Society of New Zealand 2*: 69-82.
- KNOX, G.A. and GREEN, K.M. 1972. The Polycheates of New Zealand part 3: Lysaretidae. Journal of the Royal Society of New Zealand 2: 431-434.
- KNOX, G.A. and GREEN, K.M. 1972. The Polycheates of New Zealand part 4: Eunicidae. Journal of the Royal Society of New Zealand 2: 459-470.
- KNOX, G.A. and HICKS, K. 1972. The Polycheates of New Zealand part 5: Onuphidae. Journal of the Royal Society of New Zealand 3: 281-294.
- KNOX, G.A., HICKS, K. and BOLTON, L. 1985. An annotated checklist of the polychaetes of the Kaikoura Peninsula region. *Mauri Ora* 12: 105-131.
- LOWRY, J.K. 1974. Key and checklist to the gammaridean amphipods of Kaikoura. Mauri Ora 2: 95-130.
- O'NEILL, M.H.B. 1984. Morphological changes in *Onithochiton neglectus*. Rochebrune, 1881 (Mollusca: Chitonidae) and their taxonomic significance. *New Zealand Journal of Zoology* 11: 43-48.
- O'NEILL, M.H.B. 1984. Status of *Callochiton kapitiensis* Mestayer, 1926 and *Ocellochiton* Ashby, 1939 (Mollusca: Polyplacophora). *New Zealand Journal of Zoclogy* 11: 345-350.
- OTTAWAY, J.R. 1975. Epiactis thompsoni (Coughtrey, 1875) and E. mortenseni Caregrew, 1924 (Cnidaria: Anthozoa). New Zealand Journal of Marine and Freshwater Reserach 9: 253-255.
- OTTAWAY, J.R. 1975. Review of Actinia, Isactinia and Cnidopus (Cnidaria: Anthozoa) in New Zealand. New Zealand Journal of Marine and Freshwater Research 9: 53-61.
- SHORT, R.B. and HOCHBERG, F.G. 1969. Two new species of Dicyemennea (Mesozoa: Dicyemidae) from Kaikoura New Zealand. *Journal of Parasitology* 55: 583-596.
- SHORT, R.B. 1971. Three new species of Dicyema (Mesozoa: Dicyemidae) from New Zealand. pp 231-249. *In*: Llano, A. and Wallen, I.E. (Eds.) *Antarctic Research Series Vol. 17. Biology of the Antarctic Seas IV*. Washington, American Geophysical Union.
- TOWN, J.C. 1978. An annotated key to the echinoderms of the Kaikoura Peninsula. *Mauri Ora* 6: 47-55.

### INVERTEBRATE ECOLOGY (SYNECOLOGY)

- BAKER, A.J. 1966. A preliminary survey of the littoral biota of a semi-exposed rockpool on Seal Reef, Kaikoura. Unpublished B.Sc. Honours project University of Canterbury.
- BEST, H.A. 1970. The predator-prey relationship of the inter-tidal whelk Cominella maculosa Martin. Unpublished M.Sc. Thesis University of Canterbury.
- BOLTON, L.A. 1976. The fauna of Lithothamnion from Kaikoura. Unpublished B.Sc. Honours project University of Canterbury.
- BRADFORD, J.M. 1972. Systematics and ecology of New Zealand Central East Coast plankton sampled at Kaikoura. New Zealand Oceanographic Institute Memoir No. 54.

- CHAMBERLAIN, C. 1970. Comparative ecology of Melagraphia aethiops, M. cincta, M. oliveri. Unpublished B.Sc. Honours project University of Canterbury.
- COLEMAN, J. 1966. An ecological study of the distribution of biota in a semi-exposed rockpool at Kaikoura. *Unpublished M.Sc. Thesis University of Canterbury*.
- FENWICK, G.D. 1983. Population ecology and life-history tactics of shallow, sand-bottom crustaceans at Kaikoura. *Unpublished Ph.D. Thesis University of Canterbury*.
- FENWICK, G.D. and MARSDEN, I.D. 1981. Marine biology of the Kaikoura peninsula. Preliminary sub-tidal survey. pp 24. Estuarine Research Report 24 University of Canterbury.
- GRIEVE, J.H. 1966. The annual cycle of plankton off Kaikoura. Unpublished Ph.D. Thesis University of Canterbury.
- HABIB, G. 1968. A quantitative investigation of the fauna of *Durvillea* antarctica (Chamisso) Hariot, holdfasts. *Unpublished B.Sc. Honours* project University of Canterbury.
- HAY, C.H. 1971. The biology of the fauna inhabiting *Cystophora* (Phaeophyta: Fucales) on Kaikoura Peninsula. *Unpublished B.Sc. Honours project University of Canterbury*.
- KENNEDY, V.S. 1984. Crawling and clustering behaviour of 3 species of intertidal mussels in New Zealand. New Zealand Journal of Marine and Freshwater Research 18: 417-424.
- KNIGHT, G. 1968. An investigation of the fauna associated with the red algae Bostrychia arbuscula, Seal Reef, Kaikoura. Unpublished M.Sc. Thesis University of Canterbury.
- KNOX, G.A. 1963. Problems of speciation in intertidal animals with special reference to New Zealand shores. Systematics Association Publications 5: 7-29.
- KNOX, G.A. 1975. The marine benthic ecology and biogeography. pp 353-405.

  In: Kuschel, G. (Ed.) Biogeography and Ecology in New Zealand. The Hague,
  Junk
- KNOX, G.A. 1979. Distribution patterns of Southern Hemisphere marine biotas: some comments on their origins and evolution. In: Proceedings of the International Symposium on Marine Biogeography and Evolution in the Southern Hemisphere. VI. Department of Scientific and Industrial Research Information Series 137: 43-81.
- KNOX, G.A. 1980. Plate tectonics and the evolution of intertidal and shallow-water benthic biotic distribution patterns of the Southwest Pacific. Palaeogeography, Palaeoclimatology and Palaeoecology 31: 267-297.
- MARSDEN, I.D. 1978. Preliminary survey of intertidal areas from Cape Campbell to Haumuri Bluffs. pp. 45. Estuarine Research Report 19 University of Canterbury.
- MARSDEN, I.D. 1981. Marine biology of the Kaikoura Peninsula. Quantitative intertidal survey. pp. 93. Estuarine Research Report 25 University of Canterbury.
- MARSDEN, I.D. 1985. Between the tides on the Kaikoura Peninsula. *Mauri Ora 12* 69-93.
- MILLER, M.E. 1971. An examination of the fauna of Corallina officinallis (Rhodophyta: Corralinaeae). Unpublished B.Sc. Honours project University of Canterbury.
- MINSON, J.E. 1972. Polychaetes from the shell of *Cookia sulcata* (Gmelin) at Kaikoura. *Unpublished B.Sc. Honours project University of Canterbury*.

- MORGANS, J.F.C. 1967. The macrofauna of an unstable beach discussed in relation to beach profile and a progression in shelter in wave action.

  Transactions of the Royal Society of New Zealand 9: 141-155.
- MORGANS, J.F.C. 1967. The macrofauna of an excellently sorted isolated beach at Kaikoura; and certain tidal observations. *Transactions of the Royal Society of New Zealand 9*: 157-167.
- MORGANS, J.F.C. 1967. Records of breeding activity of marine invertebrates at Kaikoura. Transactions of the Royal Society of New Zealand 9: 169-174.
- MOSSOP, D.J. 1967. A preliminary examination of the fauna of *Corallina* officinallis (Rhodophyta: Corralinaeae). *Unpublished B.Sc. Honours* project University of Canterbury.
- RASMUSSEN, R.A. 1965. The intertidal ecology of the rocky shores of the Kaikoura Peninsula. *Unpublished Ph.D. Thesis University of Canterbury*.

### INVERTEBRATE ECOLOGY (AUTECOLOGY)

- BAXTER, A.S. 1981. Ecology of the New Zealand pea crab *Pinnotheres*novaezelandiae Filhol 1886 (Brachyura: Pinnotheridae). *Unpublished B.Sc.*Honours project University of Canterbury.
- BINNS, R. and PETERSON, A.J. 1969. Nitrogen excretion by the spiny lobster Jasus edwardsi (Hutton): the role of the antennal gland. Biological Bulletin 136: 147-153.
- BLOOMBERG, S. 1981. An energy budget for the paua (Haliotis iris Martyn).

  Unpublished B.Sc. Honours project University of Canterbury.
- BRADFORD, J.M. 1970. Records of pelagic copepods off Kaikoura New Zealand.

  New Zealand Journal of Marine and Freshwater Research 4: 351-363.
- CARRYER, T.J. 1970. A behavioural study of the ribbed mussel Aulacomya maoriana Moersh 1853. Unpublished M.Sc. Thesis University of Canterbury.
- CLARK, W.C. and CARPENTER, A. 1977. Swimming behaviour in a Pycnogonid.

  New Zealand Journal of Marine and Freshwater Research 11: 613-615.
- DEEVEY, G.B. 1966. Seasonal variations in length of copepods in South Pacific New Zealand waters. Australian Journal of Marine and Freshwater Research 17: 155-168.
- DIX, T.G. 1969. The biology of the Echinoid Evichinus chloroticus (Val) from different habitats. Unpublished Ph.D. Thesis University of Canterbury.
- DIX, T.G. 1969. Larval lifespan of Echinoid Evichinus chloroticus (Val).

  New Zealand Journal of Marine and Freshwater Research 3: 13-16.
- DIX, T.G. 1969. Aggregation in the Echinoid Evichinus chloroticus. Pacific Science 23: 123-124.
- DIX, T.G. 1970. Covering response of the Echinoid Evichinus chloroticus. Pacific Science 24: 187-194.
- DIX, T.G. 1970. Biology of *Evichinus chloroticus* (Echinoidea: Echinometridae) from different localities. I: General. *New Zealand Journal of Marine and Freshwater Research* 4: 91-116.
- DIX, T.G. 1970. Biology of *Evichinus chloroticus* (Echinoidea: Echinometridae) from different localities. II. Movement. New Zealand Journal of Marine and Freshwater Research 4: 267-277.
- DIX, T.G. 1970. Biology of Evichinus chloroticus (Echinoidea: Echinometridae) from different localities. III: Reproduction. New Zealand Journal of Marine and Freshwater Research 4: 385-405.

- DIX, T.G. 1972. Biology of Evichinus chloroticus (Echinoidea: Echinometridae) from different localities. IV: Age, growth and size. New Zealand Journal of Marine and Freshwater Research 6: 48-68.
- FENWICK, G.D. 1974. The effect of wave exposure on the amphipod fauna of the alga Caulerpa brownii. Unpublished M.Sc. Thesis University of Canterbury.
- FENWICK, G.D. 1976. The effect of wave exposure on the amphipod fauna of the alga Caulerpa brownii. Journal of Experimental Marine Biology and Ecology 25: 1-18.
- FENWICK, G.D. 1984. Life history and population biology of the giant ostracod Leuroleberis zealandica (Baird 1850) (Myodocopida). Journal of Experimental Marine Biology and Ecology 77: 255-289.
- FREETH, A. 1982. Genetic variation in marine and estuarine populations of the chiton Sypharochiton pelliserpentis. Unpublished M.Sc. Thesis University of Canterbury.
- HAYWARD, T.L. 1982. Behavioural ecology of the marine spider Desis marina.

  Unpublished B.Sc. Honours project University of Canterbury.
- HENDERSON, S. 1972. Shell selection in intertidal hermit crabs. Unpublished B.Sc. Honours project University of Canterbury.
- HORN, P.L. 1982. Adaptations of the chiton Sypharochiton pelliserpentis (Quoy & Gaimard) to a rocky shore at Kaikoura and an estuary at Christchurch. Unpublished B.Sc. Honours project University of Canterbury.
- HORN, P.L. 1982. Adaptations of the chiton Sypharochiton pelliserpentis to rocky and estuarine habitats. New Zealand Journal of Marine and Freshwater Research 16: 253-261.
- HORN, P.L. 1983. Energetics of the chiton Sypharochiton pelliserpentis from a sheltered shore at Kaikoura. Unpublished M.Sc. Thesis University of Canterbury.
- JANSEN, K.P. 1968. A comparative study of intertidal species of Sphaeromidae (Isopoda: Flabellifera). Unpublished Ph.D. Thesis University of Canterbury.
- JANSEN, K.P. 1971. Ecological studies on inter-tidal New Zealand Sphaeromidae (Isopoda: Flabellifera). Marine Biology 11: 262-285.
- JONES, M.B. 1977. Breeding and seasonal population changes of *Petrolisthes elongatus* (Crustacea, Decapoda, Anomura) at Kaikoura New Zealand. *Journal of the Royal Society of New Zealand* 7: 259-272.
- JONES, M.B. 1978. Aspects of the biology of the big handed crab, *Heterozius rotundifrons* (Decapoda: Brachyura) from Kaikoura New Zealand. *New Zealand Journal of Zoology 5*: 783-794.
- JONES, M.B. and FORSTER, B.A. 1978. Records of nektonic existence of the sessile barnacle (Megabalanus decorus). New Zealand Journal of Ecology 1978: 77-80.
- KENNEDY, V.S. 1976. Desiccation, higher temp. and upper intertidal limits of three species of sea mussels (Mollusca: Bivalvia) in New Zealand. Marine Biology 35: 127-137.
- KIRKPATRICK, K. 1981. Salinity tolerance and osmoregulation of the New Zealand shrimp Palaemon affinis Milne Edwards, 1837 (Decapoda: Palaeminidae). Unpublished B.Sc. Honours project University of Canterbury.
- MARSDEN, I.D. 1982. Population biology of the commensal asellotan Iais pubescens (Dana) and its sphaeromutid host Exosphaeroma obtusum (Dana) (Isopoda). Journal of Experimental Marine Biology and Ecology 58: 233-257.
- McCLATCHIE, S. 1979. Grazing of Zeacumantus subcarinatus (Gastropoda) on Ulva lactuca: Mauri Ora 7: 39-45.

- McGREGOR, D.D. 1965. Aspects of the biology of Opifex fuscus Hutton (Diptera: Culicidae). Proceedings of the Royal Entomology Society, London 40: 9-14.
- McQUEEN, D.J. and McLAY, C.L. 1983. How does the intertidal spider Desis marina (Hector) remain under water for such a long time? New Zealand Journal of Zoology 10: 383-392.
- OSBORNE, T.A. 1982. Resource partitioning and competition in hermit crabs. Unpublished B.Sc. Honours project University of Canterbury.
- OTTAWAY, J.R. 1977. Population ecology of the intertidal anemone Actinia tenebrosa Farquhar (Cnidaria: Anthozoa). Unpublished Ph.D. Thesis University of Canterbury.
- OTTAWAY, J.R. 1977. Predators of sea anemones. Tuatara 22: 213-221. OTTAWAY, J.R. 1977. Pleurobranchaea novaezelandiae preying on Actinia tenebrosa. New Zealand Journal of Marine and Freshwater Research 11: 125-130.
- OTTAWAY, J.R. 1978. Population ecology of the intertidal anemone Actinia tenebrosa I: Pedal locomotion and intraspecific aggression. Australian Journal of Marine and Freshwater Research 29: 787-802.
- OTTAWAY, J.R. 1979. Population ecology of the intertidal anemone Actinia tenebrosa II: Geographical distribution, synonymy, reproductive cycle and fecundity. Australian Journal of Marine and Freshwater Research 29: 273-290.
- OTTAWAY, J.R. 1979. Population ecology of the intertidal anemone Actinia tenebrosa III: Dynamics and environmental factors. Australian Journal of Marine and Freshwater Research 30: 41-62.
- OTTAWAY, J.R. 1980. Population ecology of the intertidal anemone Actinia tenebrosa IV: Growth rates and longevites. Australian Journal of Marine and Freshwater Research 31: 385-395.
- PACK, Y.M. 1982. Masking behaviour and related biology of *Notomithrax ursus* (Oxyrhyncha: Majidae). *Unpublished Ph.D. Thesis University of Canterbury*.
- POORE, G.C.B. 1969. The ecology of the New Zealand Haliotis species (Mollusca). Unpublished Ph.D. Thesis University of Canterbury.
- POORE, G.C.B. 1972. The ecology of the New Zealand abalones, Haliotis species (Mollusca: Gastropoda). 1. Feeding. New Zealand Journal of Marine and Freshwater Research 6: 11-22.
- POORE, G.C.B. 1972. The ecology of the New Zealand abalones, Haliotis species (Mollusca: Gastropoda). 2. Seasonal and diurnal movement.

  New Zealand Journal of Marine and Freshwater Research 6: 246-258.
- POORE, G.C.B. 1972. The ecology of the New Zealand abalones, Haliotis species (Mollusca: Gastropoda). 3. Growth. New Zealand Journal of Marine and Freshwater Research 6: 534-559.
- SAINSBURY, K.J. 1977. Population dynamics and fishery management of the Abalone Haliotis iris. Unpublished Ph.D. Thesis University of Canterbury.
- SAINSBURY, K.J. 1982. Population dynamics and fishery management of the paua Haliotis iris II Dynamics and management as examined using a size class population model. New Zealand Journal of Marine and Freshwater Research 16: 163-173.
- SCALLY, E.A. 1971. Feeding behaviour of the "Wandering" sea anemone Phylyctenactis turberculosa. Unpublished M.Sc. Thesis University of Canterbury.

- TOWN, J.C. 1979. Aspects of the biology of Astrostole scabra (Hutton, 1872). Unpublished Ph.D. Thesis University of Canterbury.
- TOWN, J.C. 1979. Distribution and dispersal of the genus Astrostole Fisher, 1923 (Echinodermata: Asteroidea). Journal of the Royal Society of New Zealand 9: 385-395.
- TOWN, J.C. 1980. Movement, morphology, reproductive periodicity, and some factors affecting gonad production in the seastar Astrostole scabra (Hutton). Journal of Experimental Marine Biology and Ecology 44: 111-132.
- TOWN, J.C. 1980. Diet and food preference of intertidal Astrostole scabra (Asteroidea: Forcipulata). New Zealand Journal of Marine and Freshwater Research 14: 427-435.
- TOWN, J.C. 1981. Prey characteristics and dietary composition in intertidal Astrostole scabra (Echinodermata: Asteroidae). New Zealand Journal of Marine and Freshwater Research 15: 69-80.
- WINTERBOURN, M.J. and ANDERSON, N.H. 1980. The life history of *Philanisus plebeius* Walker (Trichoptera: Chathamiidae) a caddisfly whose eggs were found in a starfish. *Ecological Entomology* 5: 293-303.

# METHODS & TECHNIQUES

- MILLS, J.A. 1972. A difference in band loss from male and female Red-Billed Gulls. *Ibis* 114: 252-255.
- MILLS, J.A. 1972. The reliability of sight recoveries of the Red-Billed Gulls.

  Australian Bird Bander 9: 83-84.
- MILLS, J.A. and RYDER J.P. 1979. Trap for capturing shore and seabirds. Bird Banding 50: 121-123.
- MOORS, P.J. 1978. Methods for studying predators and their effects on forest birds. Department of Lands and Survey Information Series 4: 47-56.
- MORGANS, J.F.C. 1965. A simple method for determining levels along seashore transects. *Tuatara 13*: 187-189.
- MORGANS, J.F.C. 1965. A simple and flexible cataloguing system for the biological collections large and small. *Tuatara 13*: 116-121.
- OTTAWAY, J.R. 1974. Tidal tank system in operation at the Edward Percival Marine Laboratory Kaikoura. *Mauri Ora 3*: 31-36.

# BOTANY

# **ECOLOGY**

- ASTON, B.C. 1916. Botany of Tapuaenuku. Bulletin of Miscellaneous Information, Kew 7: 182-184.
- DOBSON, A.T. 1979. Checklist of Plants. pp 41-46. *In*: Gill, B.J. and Hunt, D.M. (Eds.) *Ecology of Kowhai Bush, Kaikoura*. Mauri Ora Special Publication 2.
- GAYNOR, D.L. 1979. Interrelationships of Kanuka and Manuka. p 16. *In*: Gill, B.J. and Hunt, D.M. (Eds.) *Ecology of Kowhai Bush*, *Kaikoura*. Mauri Ora Special Publication 2.

- MARTIN, W. 1972. The vegetation of Marlborough. Reprinted from *The Marlborough Express* 46 pp.
- SMITH, C.M. 1935. Notes on the Southern limit of Beilschmiedia tawa. New Zealand Journal of Forestry 3: 222-223.
- WARDLE, J. 1971. The forests and shrublands of the Seaward Kaikoura Range.

  New Zealand Journal of Botany 9: 269-292.

#### PHYCOLOGY

- HAY, C.H. 1971. Ecology of three seaweeds (Cystophora torulosa, C. scalaris, and C. congesta) on the Kaikoura Peninsula shores. Unpublished B.Sc. Honours project University of Canterbury.
- HAY, C.H. 1977. A biological study of *Durvillaea antarctica* (Chamisso)
  Hariot and *D. willana* Lindauer in New Zealand. *Unpublished Ph.D. Thesis*University of Canterbury.
- HAY, C.H. 1979. Nomenclature and taxonomy within the genus *Durvillaea* Bory (Phaeophyceae: Durvilleales, Petrov). *Phycologia* 18: 191-202.
- HAY, C.H. 1979. Some factors affecting the upper limit of the southern bullkelp *Durvillea antarctica* (Chamisso) Hariot on two N.Z. shores. Journal of the Royal Society of New Zealand 9: 279-289.
- HAY, C.H. 1979. A phyto geographical account of the southern bull kelp seaweeds Durvillaea spp. Bory 1926 (Durvilleales, Petrov 1965). In: Proceedings of the International Symposium on Marine Biogeography and Evolution in the Southern Hemisphere. Vol 2. Department of Scientific and Industrial Research Information Series 137: 443-454.
- HAY, C.H. and SOUTH, G.R. 1977. Some implications of field experiments on proposed commercial harvesting of *Durvillea* in New Zealand. *In:*Proceedings of the Eighth International Seaweed Symposium, Bangor.
- HAY, C.H. and SOUTH, G.R. 1977. Variation in morphology and standing crop in New Zealand Durvillea antarctica (Chamisso) Hariot in relation to exposure and latitude. In: Proceedings of the Eighth International Seaweed Symposium, Bangor.
- HAY, C.H. and SOUTH, G.R. 1979. Experimental ecology with particular reference to proposed commercial harvesting of *Durvillea* in New Zealand. *Botanica Marina* 22: 431-436.
- HAY, C.H. and SOUTH, G.R. 1979. Influence of wave action and latitude on morphology and standing crop of New Zealand *Durvillea antarctica* (Chamisso) Hariot (Phyeophyta, Durvilleales). *Journal of the Royal Society of New Zealand 9*: 289-296.
- MOESTRUP, 0. 1979. Identification by electron microscopy of marine nanoplankton from New Zealand including the description of four new species. New Zealand Journal of Botany 7: 61-95.
- MOESTRUP, O. 1983. Further studies on Nephroselmis and its allies (Prasinophyceae). I. The question of the genus Bipedinomonas. Nordic Journal of Botany 3: 609-627.
- SOUTH, G.R. 1974. Herpodiscus gen. nov. and Herpodiscus durvileae (Lindauer) Comb. nov., a parasite of Durvillea antarctica (Chamisso) Hariot, endemic to New Zealand. Journal of the Royal Society of New Zealand 4: 455-461.
- SOUTH, G.R. and ADAMS, N.M. 1976. The marine algae of the Kaikoura coast a list of species. National Museum of New Zealand, Miscellaneous Series 1: 1-67.

- SOUTH, G.R. 1979. Alginate levels in New Zealand Durvillea with particular reference to age variations in D. antarctica. Proceedings of the IXth International Seaweed Symposium. Santa Barbara California 1977.
- THOMSEN, H.A. and MOESTRUP, O. 1983. Electron microscopical investigations on two Loricate Choanoflagellates (Choanoflagellida), Calotheca alata gen. et. sp. nov. and Syndetophyllum pulchellum gen. et comb. nov., from Indo-Pacific localities. Proceedings of the Royal Society, London B219: 41-52.

### **GEOGRAPHY**

#### GEOMORPHOLOGY

- ALPE, S.G. 1978. Farming the moving land; a study of mass movement on Okarahai Downs, Kaikoura, N.Z. *Unpublished M.A. Thesis Geography Department University of Canterbury*.
- BROWN, D.A. 1975. The dynamics of pebble shape and size selection by waves.

  Unpublished M.A. Thesis Geography Department University of Canterbury.
- BULL, W.B. 1984. Tectonic Geomorphology. Journal of Geological Education 32: 310-324.
- BULL, W.B. 1985. Correlation of flights of global marine terraces. In:

  M. Morisawa and J. Hack (Eds.) Tectonic Geomorphology. Proceedings of
  the 15th annual geomorphology symposium, State University of New York at
  Binghamton, Boston. George Allen & Unwin.
- CARR, M.J. 1971. The stratigraphy and chronology of the Hawera series marginal marine succession of the North Canterbury Coast. *Unpublished Ph.D. Thesis Geography Department University of Canterbury*.
- CHANDRA, F. 1967. Comparison of present and past beach deposits of South Kaikoura Peninsula. Unpublished B.Sc. Honours project Geography Department University of Canterbury.
- CHANDRA, F. 1968. Geomorphology of the Kaikoura area. Unpublished M.A. Thesis Geography Department University of Canterbury.
- CHANDRA, F. 1969. The geomorphology of the Kaikoura area. Earth Science Journal 3: 1-3.
- COTTON, C.A. 1913. The physiography of the middle Clarence Valley, New Zealand. *Geography Journal* 42: 225-246.
- DICKSON, J.S. 1969. Aspects of greywacke beach pebble morphogenesis, roundness, sphericity and form. The Hapuku River and North Bay Beach, Kaikoura. Unpublished M.A. Thesis Geography Department University of Canterbury
- DUCKMANTON, N.M. 1974. Shore platforms of the Kaikoura Peninsula. Unpublished M.A. Thesis Geography Department University of Canterbury.
- FLEMING, C.A. and SUGGATE, R.P. 1964. The 550ft raised beach at Amuri Bluff.

  New Zealand Journal of Geology and Geophysics 7: 353-358.
- JOBBERNS, G. 1928. The raised beaches of the north-east coast of the South Island of New Zealand. Transactions of the New Zealand Institute 59: 508-570.
- KIRK, R.M. 1970. Swash zone processes: An examination of water motion and the relations between water motion and foreshore response on some mixed sandshingle beaches, Kaikoura, New Zealand. Unpublished Ph.D. Thesis Geography Department University of Canterbury.

- KIRK, R.M. 1971. Swash zone processes. Coastal Research Notes 3: 1-3.
- KIRK, R.M. 1972. Instruments for studying shore and near shore processes.

  New Zealand Journal of Marine and Freshwater Research 5: 358-375.
- KIRK, R.M. 1972. Research into the physical nature of coastal environments at Geography Department University of Canterbury. *Coastal Research Notes* 3: 10-12.
- KIRK, R.M. 1973. Instrument systems for shore process studies. British Geomorphology Research Group Technical Bulletin 10: 23 pp.
- KIRK, R.M. 1975. Coastal changes at Kaikoura 1942-1974 as determined from air photographs. New Zealand Journal of Geology and Geophysics 18: 787-801.
- KIRK, R.M. 1975. Aspects of surf and runup processes on mixed sand and gravel beaches. Geografiska Annaler 57: 117-133.
- KIRK, R.M. 1977. Rates and forms of erosion on intertidal platforms at Kaikoura Peninsula, South Island, New Zealand. New Zealand Journal of Geology and Geophysics 20: 571-613.
- McLEAN, R.F. 1967. Objective description of shore platforms of the north-east coast of the South Island. Unpublished M.A. Thesis Geography Department University of Canterbury.
- McLEAN, R.F. 1967. Unpublished grain size data on South Bay beach Kaikoura.

  Unpublished Report, Geography Department University of Canterbury.
- McLEAN, R.F. 1967. Plan, shape and orientation of beaches along the east coast, South Island. New Zealand Geographer 23: 16-22.
- McLEAN, R.F. 1969. The supply of gravel to New Zealand greywacke beaches. \*Coastal Research Notes 2: 5-6.
- McLEAN, R.F. and KIRK, R.M. 1969. Relationships between grain-size, sizesorting and foreshore slope on mixed sand-shingle beaches. New Zealand Journal of Geology and Geophysics 12: 138-155.
- McLEAN, R.F. 1970. Variation in grain-size and sorting on two Kaikoura beaches. New Zealand Journal of Marine and Freshwater Research 4: 141-164.
- STEPHEN, W.J.M. 1974. Wave processes and beach response on a coarse gravel delta. Unpublished Ph.D. Thesis Geography Department University of Canterbury.
- YOKO OTA et al. 1984. Marine terraces of the Conway Coast, South Island, New Zealand. New Zealand Journal of Geology and Geophysics 27: 313-325.

### CLIMATOLOGY

- GREIG, M.J.N. and HEATH, R.A. 1976. Tidal constants from Wanganui, Castlepoint, and Kaikoura. New Zealand Oceanographic Institute Records 3: 151-158.
- HEATH, R.A. 1970. An occurrence of low water temperatures on the North Canterbury Coast. New Zealand Journal of Marine and Freshwater Research 4: 223-226.
- KIRK, R.M. (1972-1975). Statistical summary of sea state observations in New Zealand 1972-73-74-75. Internal publication of the Geography Department University of Canterbury.

- OTTAWAY, J.R. 1976. Inshore sea temperatures at Kaikoura, New Zealand 1973-1975. Mauri Ora 4: 69-73.
- PASCOE, R.M. 1983. The climate and weather of Marlborough. New Zealand Meteorological Services Miscellaneous Publication 115(12).

#### HYDROLOGY

- BRODIE, J.W. 1960. Coastal surface currents around N.Z. New Zealand Journal of Geology and Geophysics 2: 135-252.
- BROWN, L.J. and TAYLOR, C.B. 1976. Geohydrology of the Kaikoura plain, Marlborough, New Zealand. In: Proceedings of a symposium on isotope techniques in groundwater hydrology, Vienna.
- GARNER, D.M. 1953. Physical characteristics of inshore surface waters between Cook Strait and Banks Peninsula New Zealand. New Zealand Journal of Science and Technology 35: 239-246.
- GARNER, D.M. 1954. Sea surface temperatures in the south west Pacific ocean from 1949-1952. New Zealand Journal of Science and Technology 36: 285-303.
- GARNER, D.M. 1959. The subtropical convergence in New Zealand waters. New Zealand Journal of Geology and Geophysics 2: 315-337.
- GARNER, D.M. 1961. The hydrology of New Zealand coastal waters. New Zealand Department of Scientific and Industrial Research Bulletin 138 85 pp.
- HOUTMAN, T.J. 1965. Winter hydrological conditions of coastal waters South of Kaikoura Peninsula. New Zealand Journal of Geology and Geophysics 8: 807-819.
- KIRK, R.M. 1975. Tidal observations at the Edward Percival Marine Laboratory Kaikoura Oct. 1967 - Oct. 1972. Geography Department publication University of Canterbury 15 pp.
- REID, S.J. 1972. Monthly sea surface temperatures in the New Zealand region.

  New Zealand Meteorological Services Technical Note 213.

### GEOLOGY

- ARMSTRONG, W.J. 1972. The Amuri limestone. Unpublished Honours project Geology Department University of Canterbury.
- BELL, D.H. 1976. High intensity rainstorms and geological hazards Cyclone Alison, March 1975, Kaikoura New Zealand. Bulletin of the International Association of Engineering Geology 14: 189-200.
- BELL, D.H. 1977. Railway and highway stability problems in the Kaikoura area.

  New Zealand Institute of Engineers Conference Paper 91, 17 pp.
- BELL, D.H. 1981. Railway stability investigations between Claverley and Oaro, Marlborough New Zealand. "Engineering Geology Group Symposium", Perth. Geological Society Australia, Abstracts no 3, 1981: 83.
- BELL, D.H. and LUXFORD, N.S. 1981. Geotechnical assessment of coastal slopes and catchments, Claverley-Oaro, Marlborough. Paper No. 60 presented to New Zealand Institute of Engineers Annual Conference, Auckland, 55 pp.
- BRADSHAW, J.D. 1975. The Kaikoura Orogeny a provocation. Foreward to programme and abstracts, *Geological Society of New Zealand Annual Conference November 1975*.

- BUCHANAN, J. 1868. Kaikoura District. New Zealand Geological Survey Report to Geological Explorer 1866-67: 34-41.
- COTTON, C.A. 1914. A preliminary note on the uplifted East Coast of Marlborough. Transactions of the New Zealand Institute 46: 286-294.
- COTTON, C.A. 1914. On the relations of the Great Marlborough Conglomorate to the underlying formations in the middle Clarence Valley. New Zealand. Journal of Geology 22: 346-363.
- DAVIDSON, G.D. 1976. Late holocene environmental history in the Kaikoura area. Unpublished M.Sc. Thesis Geology Department University of Canterbury.
- DOW, J.A.S. 1966. An outline of the geology of the Kaikoura Peninsula.

  Unpublished Honours project Geology Department University of Canterbury.
- GROCOTT, G.G. 1978. Slope stability investigations maintrunk railway Kaikoura. Unpublished M.Sc. Thesis Geology Department University of Canterbury.
- HECTOR, J. 1877. Progress report on Marlborough and Amuri District. New Zealand Geological Survey. Reports to Geological Explorer 8: 11-13.
- HECTOR, J. 1886. Kaikoura District. New Zealand Geological Survey. Report to Geological Explorer 17: 12-37.
- HUTTON, F.W. 1877. Report on the geology of the north-east portion of the South Island from Cook Strait to the Rakaia. New Zealand Geological Survey. Report to Geological Explorer 8: 27-58.
- McKAY, A. 1877. Report on Kaikoura Peninsula and Amuri Bluff. New Zealand Geological Survey. Report to Geological Explorer 9: 172-183.
- McKAY, A. 1886. On the geology of the eastern part of Marlborough Provincial District. New Zealand Geological Survey. Report to Geological Explorer 17: 27-136.
- McKAY, A. 1887. On the grey-marles and Weka Pass stone in Kaikoura Peninsula and at Amuri Bluff. New Zealand Geological Survey. Report to Geological Explorer 18: 74-78.
- MORGAN, P.G. 1916. Notes on a visit to Marlborough and North Canterbury with special reference to unconformities postdating the Amuri limestone. 10th Annual Report of the New Zealand Geological Service 7: 17-29.
- NORMAN, G.R. 1974. The structure and petrography of Mesozoic rocks on the Kaikoura coast. *Unpublished Honours project Geology Department University of Canterbury*.
- OSBORNE, M.I. 1982. The stratigraphy and structure of the Clarence-Kekerengu sector Marlborough. Unpublished M.Sc. Thesis Geology Department University of Canterbury.
- REAY, M.B. 1980. Cretaceous and tertiary stratigraphy of part of the middle Clarence Valley, Marlborough. *Unpublished M.Sc. Thesis Geology Department University of Canterbury*.
- SMITH, G. 1982. Regolith instability problems, Hundalee Hills, Southern Marlborough. Unpublished M.Sc. Thesis Geology Department University of Canterbury.
- SUGGATE, R.P. 1965. Late pleistocene geology of the northern part of the South Island New Zealand. New Zealand Geological Survey Bulletin 77: 91 pp.
- THOMSON, J.A. 1913. On the igneous intrusions of Mt Tapuaenuka Marlborough.

  Transactions of the New Zealand Institute 45: 308-315.
- THOMSON, J.A. 1919. The geology of middle and upper Clarence and Ure Valley, East Marlborough. Transactions of the New Zealand Institute 51: 289-349.

WARREN, G. and SPEDEN, I. 1978. The Piripauan and Haumurian stratotypes (Mata Series, Upper Cretaceous) and correlative sequences in Haumuri Bluff District, South Marlborough, New Zealand. Geological Survey Bulletin 92: 60 pp.

#### ARCHAEOLOGY

- BRAILSFORD, B. 1981. The Tattooed Land. The southern frontiers of the Pa Maori. A.H. and A.W. Reed Ltd.
- DELL, R.K. and FALLA, R.A. 1972. The Kaikoura Moa Egg. Dominion Museum Records in Ethnology 2: 97-104.
- DUFF, R.S. 1961. Excavation of house-pits at Pari Whakatau Pa, Claverley, Marlborough. Records of the Canterbury Museum 7: 269-302.
- EDSON, S. 1976. The Takahanga Post Office Site, S49/13. An interim report to the Archaeology Committee, New Zealand Historic Places Trust, Wellington.
- FOMISON, T. 1959. Site Survey of the Kaikoura Peninsula. New Zealand Archaeological Association Newsletter 3: 4-15.
- FOMISON, T. 1963. Excavations at South Bay, Kaikoura. Site 49/43. New Zealand Archaeological Association Newsletter 6: 116-124.
- McCULLOCH, B. 1985. Kaikoura archaeology. Mauri Ora 12: 7-12.
- McCULLOCH, B. and TROTTER, M.M. 1981. Takahanga 1980. Canterbury Museum Publication Christchurch. pp 29.
- McCULLOCH, B. and TROTTER, M.M. 1984. Investigations at Takahanga Pa, Kaikoura, 1980, 1982. Records of the Canterbury Museum 9(10): 387-421.
- ORCHISTON, D.W. 1974. Studies in South Island, New Zealand prehistory and protohistory. Unpublished Ph.D. Thesis Department of Anthropology, University of Sydney. 3 volumes 691 pp.
- TROTTER, M.M. 1972. Pits at Seddons Ridge, Kaikoura. New Zealand Archaeological Association Newsletter 15: 94-99.
- TROTTER, M.M. 1974. Archaeological excavations at Takahanga, Kaikoura. Canterbury Museum Publication, Christchurch.
- TROTTER, M.M. 1975. Further investigations at Pari Whakatau, Southern Marlborough. New Zealand Archaeological Association Newsletter 18: 145-151.
- TROTTER, M.M. 1980. Archaeological investigations at Avoca Point Kaikoura. Records of the Canterbury Museum 9: 277-288.
- TROTTER, M.M. and McCULLOCH, B. 1971. Prehistoric Rock Art of New Zealand. Reeds, Wellington pp 87. (Second edition 1981 Longman Paul). TROTTER, M.M. and McCULLOCH, B. 1979. Prehistory at Clarence Bridge.
- Kaikoura Coastal Reserves Board.

# SOIL SCIENCE

- EVANS, G.R. 1973. Hutton's Shearwaters initiating local soil erosion in the Seaward Kaikoura Range. New Zealand Journal of Science 16: 637-642.
- GIBBS, H.S. and BEGGS, J.P. 1953. Soils and agriculture of Awatere, Kaikoura and part of Marlborough Counties. Bulletin of the Soil Bureau, New Zealand Department of Scientific and Industrial Research 9.

#### FORESTS

- HUNT, D.M. 1977. A management plan for Kowhai Bush, Kaikoura, New Zealand.

  Unpublished M.Sc. Thesis Centre for Resource Management University of
  Canterbury.
- HUNT, D.M. 1978. Kowhai Bush: a valuable remnant of lowland forest. Forest and Bird 210: 18-21.
- WARDLE, P. 1961. The forests of Aniseed Stream near Kaikoura. New Zealand Journal of Forestry 8(3).
- WARDLE, J. 1971. The forests and shrublands of the Seaward Kaikoura Range.

  New Zealand Journal of Botany 9: 269-292.
- WRIGHT, A.F. 1980. Kowhai River Protection Reserve Management Plan.

  Marlborough Catchment and Regional Water Board Publication.

### OCEANS RIVERS LAKES AND WETLANDS

- BECK, A.C. 1968. The Mt. Fyffe catchment area and its drainage. Unpublished paper for the Marlborough Catchment Board. 6 pp.
- GARNER, D.M. 1953. Physical characteristics of inshore surface waters between Cook Strait and Banks Peninsula, New Zealand. New Zealand Journal of Science and Technology 35: 239-246.
- HEATH, R.A. 1972. Wind-derived water motion off the east coast of New Zealand. New Zealand Journal of Marine and Freshwater Research 6: 352-364.
- KIRK, R.M. 1974. The work of water The Sea. New Zealand Nature Heritage 1 (12).
- KNOX, G.A. 1960. Littoral ecology and biogeography of Southern Oceans. Proceedings of the Royal Society of Britain 152: 577-624.
- KNOX, G.A. 1963. The biogeography and intertidal ecology of the Australasian coasts. Oceanography and Marine Biology Annual Review 1: 341-404.
- KNOX, G.A. 1969. The surrounding seas. pp 509-518. In: Knox, G.A. (Ed.)

  The Natural History of Canterbury. A.H. and A.W. Reed Wellington.
- KNOX, G.A. 1970. Biological oceanography of the South Pacific. Natural Academy of Science, Washington 1970.
- KNOX, G.A. 1979. Distribution patterns of Southern Hemisphere marine biotas: some comments on their origins and evolution. In: Proceedings of the International Symposium on Marine Biogeography and Evolution in the Southern Hemisphere. VI Information Series 137: 43-81.
- KNOX, G.A. 1980. Plate tectonics and the evolution of intertidal and shallow-water benthic biotic distribution patterns of the Southwest Pacific. Palaeogeography Palaeoclimatology and Palaeoecology 31: 267-297.
- McLEAN, B.F. 1971. Wave heights along two beaches at Kaikoura New Zealand.

  Unpublished Report Department of Geography University of Canterbury 11 pp.
- McLEAN, B.F. 1972. Sea conditions of the North-East Coast, South Island, New Zealand Ship reports Jan.-June 1967. Unpublished Report Department of Geography University of Canterbury 18 pp.

- THOMPSON, P.A. and MacARTHUR, R.S. 1968. Kaikoura scheme-preliminary report on the alternatives for controlling the Mt. Fyffe streams. 3 unpublished Marlborough Catchment Board papers 45 pp.
- THOMPSON, P.A. and MacARTHUR, R.S. 1969. Major river control, drainage and erosion control scheme for Kaikoura. Marlborough Catchment Board Special Bulletin.