A List of Coastal Plants from Kahurangi Point, N.W. Nelson

B. H. Macmillan G. I. Collett By

and

[Received by the Editor, September 19, 1968.]

Abstract

PLANTS gathered at Kahurangi Point in March and April, 1965, are listed. These include 170 vascular plants, of which 32 are naturalised or persistent from cultivation, 12 bryophytes and nine lichens. Six additional species recorded by Simpson and Thomson (1941) are also listed.

INTRODUCTION

Kahurangi Point is a promontory 14 miles south-west of Paturau, N.W. Nelson. The rock is tertiary sediment of glauconitic sandstone and calcareous mudstone grading into limestone (Grindley, 1961). The Point lies in the mean annual rainfall belt of 80–100 inches and has a mean annual temperature of 53–54°F (de Lisle and Kerr, 1965). The latitude is 40° 46′ 30″, longitude 172° 13′, the grid reference N.Z. Map Series 1 Sheet S2 662912 (Text-fig. 1).

Whilst engaged on lighthouse maintenance work during March and April, 1965, G.I.C. collected, in the vicinity of the lighthouse, specimens of the plants listed below, which are included in the herbarium of the Botany Division, D.S.I.R. (CHR). Habitats represented are: strand and coastal rocks, exposed limestone cliffs, lupin-covered dunes, pasture, tarns, and margins of nikau grove and coastal forest. Mr A. G. E. Page of Collingwood, who was the last lighthouse keeper to be stationed at the Point, provides the following facts concerning occupation of the area. The Point was all bush and scrub when the lighthouse was built in 1901. Since that date there was continuous occupation until 1960, the land being cleared for grazing by the keepers. At present the lighthouse property is leased for grazing of sheep and cattle.

PLANT LIST

Nomenclature follows Allan (1961) for indigenous pteridophytes, gymnosperm and dicotyledons, and Cheeseman (1925) for monocotyledons. If otherwise, the the name used by these authors is given in brackets. Plants naturalised or persistent from cultivation are marked by an asterisk. Additional records of Simpson and Thomson (1941) are marked †. Voucher specimens of these species have not been seen.

PTERIDOPHYTES

*Selaginella kraussiana (Kunze) A. Braun Adiantum cunninghamii Hook. Anarthropteris lanceolata (J. Smith) L. B.

Moore (j. Shifti) L. 1

Arthropteris tenella (Forst. f.) Smith Asplenium bulbiferum Forst. f.

A. falcatum Lam.

A. flaccidum Forst. f.

A. lucidum Forst f.

A. obtusatum Forst. f.

†Blechnum banksii (Hook. f.) Mett. ex Diels

B. membranaceum (Col.) Mett. Cyathea dealbata (Forst. f.) Swartz

Histiopteris incisa (Thunb.) J. Smith

A List of Coastal Plants from Kahurangi Point, N.W. Nelson

TRANSACTIONS OF THE ROYAL SOCIETY OF NEW ZEALAND: BIOLOGICAL SCIENCES, VOLUME 12, ISSUE 1, 10 MAY 1970, PAGE 1

Using This Item

Society of New Zealand.

In-Copyright Materials

In-copyright materials are made available under a <u>Creative Commons Attribution</u>

4.0 International licence. This means that you may copy, adapt and republish this material, as long as you attribute both the author and the Royal Society of New Zealand.

Attribution No-Derivatives 4.0

International licence. This means that you may copy and republish this material, as long as you attribute both the author and the Royal

In-copyright taxonomic materials are made

For advice on reproduction of out-of-copyright material from this periodical, please refer to the <u>Copyright quide</u>.

Hymenophyllum flabellatum Labill. Lastreopsis glabella (A. Cunn.) Tindale (Ctenitis glabella) hispida (Swartz) Tindale (Rumohra hispida) †L. velutina (A. Rich.) Tindale Lycopodium billardieri Spring L. scariosum Forst. f. Microsorium diversifolium (Willd.) Copel. (Phymatodes diversifolium) Paesia scaberula (A. Rich.) Kuhn Pteridium aguilinum var. esculentum (Forst. f.) Kuhn Pteris macilenta A. Rich.

GYMNOSPERMS

Podocarpus hallii Kirk (probably)

DICOTYLEDONS

Acaena anserinifolia (J. R. et G. Forst.)
Druce

*Albizia lophantha Benth.

*Anagallis arvensis L.

*Aphanes microcarpa (Boiss. et Reut.)
Rothm.

Apium australe Thouars

Aristotelia serrata (J. R. et G. Forst.) W. R.

B. Oliver

Ascarina lucida Hook. f.

Brachyglottis repanda J. R. et G. Forst.

Callitriche muelleri Sond.

Calystegia soldanella (L.) R. Br.

C. tuguriorum (Forst. f.) R. Br. ex Hook. f. Carmichaelia arborea (Forst. f.) Druce

*Carpobrotus edulis (L.) N. E. Br.

Cassinia leptophylla (Forst. f.) R. Br.

Centella uniflora (Col.) Nannf.

*Cerastium holosteoides Fr. Clematis paniculata Gmel.

Colobanthus muelleri Kirk

Coprosma acerosa A. Cunn.

C. australis (A. Rich.) Robinson

C. propinqua A. Cunn.

C. rhamnoides A. Cunn.

Coriaria arborea Lindsay (probably)

Corynocarpus laevigatus J. R. et G. Forst. Cotula dioica Hook. f. C. perpusilla Hook. f. C. squalida Hook. f. Craspedia uniflora Forst. f. *Crepis capillaris (L.) Wallr. Cyathodes fraseri (A. Cunn.) Allan Dichondra repens J. R. et G. Forst. Disphyma australe (Sol.) J. M. Black

Dodonaea viscosa Jacquin

Epilobium nerterioides A. Cunn. (Kahurangi River)

E. nummularifolium R. Cunn. ex A. Cunn.

E. pedunculare A. Cunn.

*Erigeron floribundus (HBK.) Sch. Bip.

Euphorbia glauca Forst. f.

Fuchsia perscandens Ckn. et Allan †Geniostoma ligustrifolium A. Cunn. Gnaphalium collinum Labill.

G. involucratum Forst. f.

G. keriense A. Cunn.

G. luteo-album L.

G. trinerve Forst. f.

G. japonicum (in sense of Cheeseman) Gratiola sexdentata R. Cunn. ex A. Cunn. Gunnera arenaria Cheesem.

G. strigosa Col.

Haloragis depressa (A. Cunn.) Walp. H. erecta (Banks ex Murr.) Eichl. Hebe elliptica (Forst. f.) Pennell H. gracillima (Kirk) Ckn. et Allan

Helichrysum filicaule Hook. f. Hoheria sexstylosa Col. Hydrocotyle moschata Forst. f. H. novae-zelandiae DC.

Hymenanthera crassifolia Hook. f.

Lagenophora pumila (Forst. f.) Cheeseman

*Lathyrus grandiflorus Sibt. et Sm. Laurelia novae-zelandiae A. Cunn. Leptospermum ericoides A. Rich. Lilaeopsis

Limosella lineata Glück

*Linum marginale A. Cunn.

Lobelia anceps Linn. f.

Lophomyrtus obcordata (Raoul) Burret

*Lotus hispidus Desf. *Lupinus arboreus Sims.

*Lycium ferocissimum Miers Macropiper excelsum (Forst. f.) Miq. Melicytus ramiflorus J. R. et G. Forst. Mentha cunninghamii Benth.

*M. pulegium L.

Metrosideros fulgens Sol. ex Gaertn. M. diffusa (Forst. f.) Smith M. perforata (J. R. et G. Forst.) A. Rich. Muehlenbeckia australis (Forst. f.) Meissn. M. complexa (A. Cunn.) Meissn. Myriophyllum propinguum A. Cunn. Nertera ciliata Kirk N. depressa Banks et Sol. ex Gaertn. N. setulosa Hook. f. Olearia avicenniaefolia (Raoul) Hook. f. O. rani (A. Cunn.) Druce Oxalis corniculata L. Parsonsia heterophylla A. Cunn. Pennantia corymbosa J. R. et G. Forst. Peperomia urvilleana A. Rich. (quarter mile south of Kahurangi River) *Physalis peruviana L. *Picris echioides L. †Pimelea arenaria A. Cunn. P. prostrata (J. R. et G. Forst.) Willd. †Pittosporum cornifolium A. Cunn. *Plantago hirtella HBK. P. raoulii Decne P. triandra Bergg. *Polycarpon tetraphyllum (L.) L. *Polygonum persicaria L. Pratia angulata (Forst. f.) Hook. f. *Prunella vulgaris L. Ranunculus acaulis Banks et Sol. ex DC. R. hirtus Banks et Sol. ex DC. R. recens Kirk Rhagodia triandra (Forst. f.) Aellen (quarter mile south of Kahurangi River) Rorippa islandica (Oeder) Borbas *Rumex conglomeratus Murr. *Sagina procumbens L. Samolus repens (J. R. et G. Forst.) Pers. Selliera radicans Cav. Senecio lautus Willd. S. hispidulus A. Rich. (Erechtites scaberula Hook. f.) *S. jacobaea L. *Sherardia arvensis L. *Silene gallica L. *Solanum nigrum L. S. aviculare Forst. f. (probably) Sonchus littoralis (Kirk) Allan Sophora microphylla Ait. Tillaea sieberiana Schult. (Kahurangi River Mouth) *Veronica arvensis L. Wahlenbergia congesta (Cheesem.) N. E.

Brown

MONOCOTYLEDONS Astelia solandri A. Cunn. (Astelia cunninghamii) Carex comans Bergg. *Chlorophytum comosum (Thunb.) Jacq. (provisional determination) Collospermum hastatum (Col.) Skottsb. (Astelia solandri) Cordyline australis Hook. f. Cortaderia richardii (Endl.) Zotov (Arundo conspicua) *Cyperus albostriatus Schrad. Dendrobium cunninghamii Lindl. Earina autumnalis Hook. f. E. mucronata Lindl. Gahnia pauciflora Kirk Juncus caespiticius E. Mey. var. bracteatus I. pallidus R. Br. J. planifolius R. Br. J. tenuis Willd. Lachnagrostis filiformis (Forst. f.) Trin. var. littoralis (Hack.) Zotov (Deyeuxia forsteri var. littoralis Hack, in Cheesem.) Luzula banksiana E. Mey. var. banksiana (L. campestris var. banksiana in part) *Mariscus congestus (Vahl) C. B. Clarke Microlaena avenacea (Raoul) Hook. f. Phormium tenax J. R. et G. Forst. Poa anceps Forst. f. Rhopalostylis sapida Wendl. et Drude Scirpus cernuus Vahl S. frondosus Boeck. S. nodosus Rottb. †Spinifex hirsutus Labill. *Stenotaphrum secundatum (Walt.) Kuntze *Tradescantia fluminensis Vell. Uncinia filiformis Boott in Hook. f. LICHENS sorediifera Anaptychia hypoleuca var. (Müll. Arg.) Wain Parmelia cetrata Ach. Pertusaria graphica Kn. Physcia caesia (Hoffm.) Hampe Sphaerophorus tener Laur. Sticta filix (Sw.) Nyl. S. glaucolurida Nyl. Ramalina ecklonii (Sprgl.) Mey. et Fw.

Xanthoria parietina var. ectanea (Ach.)

Mosses

Kickx

Campylopus clavatus (R. Br.) Hook. f. et Wils.

C. introflexus (Hedw.) Mitt.

Leucobryum candidum (Brid.) Hook. f. et Wils.

Polytrichadelphus magellanicus (Hedw.)
Mitt.

Rhacomitrium crispulum (Hook. f. et Wils.) Hook. f. et Wils.

Rhacopilum strumiferum C. M.

Sciadocladus menziesii (Hook.) Lindb.

LIVERWORTS

Jamesoniella sonderi (Gottsche) Steph.
Lophocolea leucophylla (Hook. f. et Tayl.)
G. L. et N.

Lophocolea Marchantia macropora Mitt. Monoclea forsteri Hook.

ACKNOWLEDGMENTS

We are indebted to the Marine Department which provided the opportunity for these collections to be made. The assistance of Mrs E. A. Hodgson, and Miss E. O. Campbell with identification of liverworts, Mr K. W. Allison with mosses, and Dr J. H. Kern (Leiden) with Cyperus, is gratefully acknowledged. Many members of staff of Botany Division, D.S.I.R., have been consulted during the identification of the specimens. Mr V. J. Myers prepared the map.

LITERATURE CITED

ALLAN, H. H., 1961. Flora of New Zealand Vol. I, Government Printer, Wellington, N.Z.

CHEESEMAN, T. F., 1925. Manual of the New Zealand Flora, Government Printer, Wellington, N.Z.

Grindley, G. W., 1961. Sheet 13 Golden Bay (1st ed.) Geological Map of New Zealand 1:250,000. Department of Scientific and Industrial Research, Wellington, N.Z.

DE LISLE, J. F. and KERR, I. S., 1965. The Climate and Weather of the Nelson Region, New Zealand. N.Z. Meteorological Service Misc. Pub. 115(3).

SIMPSON, G. and Scott Thomson J., 1941. Records of Plant Stations. Trans. R. Soc. N.Z. 71: 82-98.

B. H. MACMILLAN,

Botany Division, D.S.I.R.,

Private Bag,

Christchurch.

G. I. COLLETT,

Grasslands Division, D.S.I.R.,

C/o Glentanner Station,

Private Bag,

Fairlie.




Fig. 1.—Kahurangi Point on the north-west coast of Nelson Province.